




Scan results for csuiteassistants.com

 **Compliant**

Great news! Based on our scan, your webpage is accessible and conforms with WCAG standards.

 **accessWidget** is detected on the website




Thank you for making your website accessible and inclusive for all users with  **accessiBe**




Congratulations!
Your website is among the **3%** of inclusive and accessible websites globally. Well done!

● Inclusive websites ● Not inclusive websites

In the report you'll find the results for dozens of tests focusing mainly on these categories:

-  **Screen-reader** adjustments (blind users)
-  **Keyboard navigation** adjustments (motor impaired)
-  **UI, design and readability** adjustments (vision impaired)



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	18	0	100

Successful Elements

```
<a class="e-n-menu-title-container e-focus e-link " href="#" aria-current="page"
role="button" data-focus-index="3" data-custom-button-processed="true" data-acsb-
menu="a" data-acsb-menu-root-link="true"> <span class="e-n-menu-title-text " ...
```

```
<span class="e-n-accordion-item-title-header " tabindex="0" role="button"><div cl
ass="e-n-accordion-item-title-text "> Select Location </div></span>
```

```
<span class="e-closed " tabindex="0" style=";background-color:#ffffff!important;
color:#000000!important;" role="button" data-acsb-textual-ops="next"><span data-
="true" " data--position="before" aria-hidden="false" >Next</span><svg xmlns="htt
p:// ...
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-c
olor:#ffffff!important;color:#000000!important;" role="button"> Custom-Tailored,
Specialized Service </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-c
olor:#ffffff!important;color:#000000!important;" role="button"> Extensive and Exc
lusive Candidate Network </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-c
olor:#ffffff!important;color:#000000!important;" role="button"> Organizational Ne
eds Evaluation </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-c
olor:#ffffff!important;color:#000000!important;" role="button"> Search Requiremen
ts Evaluation </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-c
olor:#ffffff!important;color:#000000!important;" role="button"> Benchmarked Salar
y Recommendations </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-c
olor:#ffffff!important;color:#000000!important;" role="button"> Creation of Custo
m Job Descriptions </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-c
olor:#ffffff!important;color:#000000!important;" role="button"> Thorough Pre-Scre
ening Process </span>
```

2 Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

18

0

100

Successful Elements

```
<a class="e-n-menu-title-container e-focus e-link " href="#" aria-current="page" role="button" data-focus-index="3" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true"> <span class="e-n-menu-title-text " ...
```

```
<span class="e-n-accordion-item-title-header " tabindex="0" role="button"><div class="e-n-accordion-item-title-text "> Select Location </div></span>
```

```
<span class="e-closed " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button" data-acsb-textual-ops="next"><span data-="true" " data--position="before" aria-hidden="false" >Next</span><svg xmlns="http:// ...
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"> Custom-Tailored, Specialized Service </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"> Extensive and Exclusive Candidate Network </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"> Organizational Needs Evaluation </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"> Search Requirements Evaluation </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"> Benchmarked Salary Recommendations </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"> Creation of Custom Job Descriptions </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"> Thorough Pre-Screening Process </span>
```

3 Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

0

0

4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	No	0	0	
5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	No	0	0	
6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	9	0	100
7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	
8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	15	0	100

Successful Elements

```
<div role="button" class="elementor-element elementor-element-65213d7 elementor-widget__width-initial None None default default default center-center default default none none elementor-widget elementor-widget-image" data-id="65213d7" data-element_ty ...
```

```
<span class="e-n-accordion-item-title-header " tabindex="0" role="button"><div class="e-n-accordion-item-title-text " > Select Location </div></span>
```

```
<span class="e-closed " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button" data-acsb-textual-ops="next"><span data-="true" " data--position="before" aria-hidden="false" >Next</span><svg xmlns="http:// ...
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"> Custom-Tailored, Specialized Service </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"> Extensive and Exclusive Candidate Network </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"> Organizational Needs Evaluation </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"> Search Requirements Evaluation </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"> Benchmarked Salary Recommendations </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"> Creation of Custom Job Descriptions </span>
```

```
<span class="elementor-flip-box__layer__title " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"> Thorough Pre-Screening Process </span>
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100
----	---	-----	------	---	-----

11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0
----	--	----	---	---

12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100
----	---	-----	------	---	-----

13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0
----	---	----	---	---

14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0
----	---	----	---	---

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	4	0	100
----	--	-----	---	---	-----

Successful Elements

```
<nav class="e-n-menu" data-widjet-number="217" aria-label="Menu" data-touch-mode="false" data-layout="horizontal" role="presentation"> <button class="e-n-menu-toggle" id="menu-toggle-217" aria-expanded="false" aria-label="Menu Toggle" tabindex="1"> Menu ...
```

```
<ul id="menu-locations-we-serve-1" class="menu" data-acsb-menu="ul" ><li class="menu-item menu-item-type-post_type menu-item-object-page menu-item-4743" data-acsb-menu="li" data-acsb-menu-root="true"><a href="https://csuiteassistants.com/executive-assistants-we-serve-1" > Executive Assistants We Serve ...
```

```
<ul id="menu-locations-we-serve-2" class="menu" data-acsb-menu="ul" ><li class="menu-item menu-item-type-post_type menu-item-object-page menu-item-4743" data-acsb-menu="li" data-acsb-menu-root="true"><a href="https://csuiteassistants.com/executive-assistants-we-serve-2" > Executive Assistants We Serve ...
```

```
<ul class="elementor-icon-list-items elementor-inline-items" data-acsb-menu="ul" > <li class="elementor-icon-list-item elementor-inline-item" data-acsb-menu="li" data-acsb-menu-root="true" data-acsb-hover="true" > <a href="https://csuiteassistants.com/locations-we-serve-1" > Locations We Serve ...
```

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0
----	--	----	---	---

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0
----	--	----	---	---

18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	No	0	0
----	--	----	---	---

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0
----	---	----	---	---

20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	64	1
----	---	-----	----	---

98

Successful Elements

```
<svg class="e-font-icon-svg e-eicon-menu-bar" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" ><path d="M104 333H896C929 333 958 304 958 271S929 208 896 208H104C71 208 42 237 42 271S71 333 104 333ZM104 583H896C929 583 958 554 958 521S929 457 896 457H104C71 457 42 486 42 521S71 583 104 583Z" >
```

```
<svg class="e-font-icon-svg e-eicon-close" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" ><path d="M742 167L500 408 258 167C246 154 233 150 217 150 196 150 179 158 167 167 154 179 150 196 150 212 150 229 154 242 171 254L408 500 167 742C1 ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="14.646" height="14.646" viewBox="0 0 14.646 14.646" ><path id="Icon_awesome-dot-circle" data-name="Icon awesome-dot-circle" d="M7.885.563a7.323,7.323,0,1,0,7.323,7.323A7.323,7.323,0,0,0,7.885.563Zm2.362, ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="14.646" height="14.646" viewBox="0 0 14.646 14.646" aria-hidden="true" ><path id="Icon_awesome-dot-circle" data-name="Icon awesome-dot-circle" d="M7.885.563a7.323,7.323,0,1,0,7.323,7.323A7.323,7.323,0,0,0, ...
```

```
<span class="elementor-divider-separator" > </span>
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="39.145" height="39.145" viewBox="0 0 39.145 39.145" ><g id="Icon_ionic-ios-arrow-dropdown" data-name="Icon ionic-ios-arrow-dropdown" transform="translate(39.145 39.145) rotate(-180)" ><path id="Path_50" ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="39.145" height="39.145" viewBox="0 0 39.145 39.145" aria-hidden="true" ><g id="Icon_ionic-ios-arrow-dropdown" data-name="Icon ionic-ios-arrow-dropdown" transform="translate(0 39.145) rotate(-90)" ><path ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" id="Group_96" x="0px" y="0px" viewBox="0 0 245 119.1" xml:space="preserve" aria-hidden="true" ><g > <defs > <rect id="SVGID_1_" x="53.8" y="1.8" width="137.2" height ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" id="Group_24" data-name="Group 24" width="115.222" height="124.939" viewBox="0 0 115.222 124.939" aria-hidden="true" ><defs ><clipPath id="clip-path" ><rect id="Rect ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" id="Group_18" data-name="Group 18" width="131.075" height="103.434" viewBox="0 0 131.075 103.434" aria-hidden="true" ><defs ><clipPath id="clip-path2" ><rect id="Rec ...
```

Failed Elements

```
<span class="elementor-divider-separator"> </span>
```

21

Figure elements that are used to display images should not have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.

0

0

22 Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute. No 0 0

23 Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers. No 0 0

24 Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.). No 0 0

25 Form elements cannot have the same ID, or else their corresponding label will provide false information. No 0 0

26 Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation. No 0 0

27 The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes. No 0 0

28 aria-describedby and aria-labelledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute. Yes Pass - 100

Successful Elements

```
<div role="region" aria-labelledby="e-n-accordion-item-1450" class="elementor-element elementor-element-3884d2c e-con-full itemContent e-flex default section-default-pad e-con e-child " data-id="3884d2c" data-element_type="container" style="background-color: #f9f9f9; padding: 10px 0 0 0;"></div>
```

29 All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key. No 0 0

30 Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers. No 0 0

31 The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. Yes Pass - 100

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100
----	---	-----	------	---	-----

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	110	0	100
----	--	-----	-----	---	-----

Successful Elements

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">Find your Assistant</span>
```

```
<span class="e-n-menu-title-text " style=";background-color:#ffffff!important;color:#000000!important;"> Employers </span>
```

```
<span class="e-n-menu-title-text " style=";background-color:#ffffff!important;color:#000000!important;"> Our Successes </span>
```

```
<span class="e-n-menu-title-text " style=";background-color:#ffffff!important;color:#000000!important;"> About us </span>
```

```
<span class="e-n-menu-title-text " style=";background-color:#ffffff!important;color:#000000!important;"> Job Seekers </span>
```

```
<h2 class="elementor-heading-title elementor-size-default " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="2">Find the perfect fit for your business </h2>
```

```
<h1 class="elementor-heading-title elementor-size-default " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="3">Nationwide Executive Assistant Recruiting</h1>
```

```
<span class="elementor-button-text " style=";background-color:#ffffff!important;color:#000000!important;">Find your assistant</span>
```

```
<span class="elementor-heading-title elementor-size-default ">I am looking to hire In:</span>
```

```
<div class="e-n-accordion-item-title-text "> Select Location </div>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	
----	--	----	---	---	--

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	2	0	100
----	---	-----	---	---	-----

Successful Elements

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button"
aria-controls="swiper-wrapper-108e8d18f1ea6c99a" tabindex="0" > <span data-="true" "
data--position="before" aria-hidden="false" >Previous slide</span><svg xmlns=
= ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button"
aria-controls="swiper-wrapper-108e8d18f1ea6c99a" tabindex="0" > <span data-="true" "
data--position="before" aria-hidden="false" >Next slide</span><svg xmlns="ht
t ...
```

40	A common accessibility mistake is to treat carousels as No live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	
----	---	----	---	---	--

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	
----	---	----	---	---	--

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	
----	--	----	---	---	--

43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	
----	--	----	---	---	--

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	
----	--	----	---	---	--

45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	
----	--	----	---	---	--

46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	
----	---	----	---	---	--

47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0
----	---	----	---	---

48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100
----	---	-----	------	---	-----

49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0
----	---	----	---	---